

Candera MISRA Compliance

[Candera](#) tries to be MISRA compliant as much as possible. For checking MISRA compliance, Coverity® Static Analysis together with the supported MISRA rule set is used. For some reasons we cannot fulfil all MISRA rules, a set of [Candera MISRA Rules for Coverity® Static Analysis](#) is disabled due to specified reasons.

Candera MISRA Rules for Coverity® Static Analysis

The following file is taken from the Coverity® Static Analysis distribution and is modified for the needs of [Candera](#). Reasons are given for deviations.

```
//#####  
// (C) Candera GmbH  
// All rights reserved.  
// -----  
// This document contains proprietary information belonging to  
// Candera GmbH.  
// Passing on and copying of this document, use and communication  
// of its contents is not permitted without prior written authorization.  
//#####  
//  
// The following configuration is based on MISRA 2008 required rules.  
// Any further deviation is added here with proper explanation and justification.  
//  
//#####  
  
// Configuration for MISRA C++-2008, rule categories: Required  
{  
    "version": "2.0",  
    "standard": "misrac++2008",  
    "title": "CGI Studio - MISRA C++-2008 Project Specific",  
    "deviations": [  
  
// Project-specific suppressions defined  
        //0-x-x  
        { "deviation": "Rule 0-1-5", "reason": "Suppressed based on MISRA C++ 2008 Chapter  
3.5, Library issues." },
```

```

    { "deviation": "Rule 0-1-10", "reason": "Suppressed based on MISRA C++ 2008 Chapter
3.5, Library issues." },
    { "deviation": "Rule 0-1-12", "reason": "Override of virtual functions may be in
customer code, CGI Studio provides the API"},
    //2-x-x
    { "deviation": "Rule 2-10-1", "reason": "Temporary disabled, justification needed." },
    { "deviation": "Rule 2-10-3", "reason": "Typedefs with same name are used in different
scopes. Typedef is not a unique declarator." },
    { "deviation": "Rule 2-10-4", "reason": "Type names are used twice in different
namespaces." },
    { "deviation": "Rule 2-10-6", "reason": "Too many false positives by interpreting the
rule also for forward declarations and different scopes." },
    //3-x-x
    { "deviation": "Rule 3-1-1", "reason": "object/function definitions in header files"
},
    { "deviation": "Rule 3-2-3", "reason": "Too many false positives by interpreting the
rule also for forward declarations." },
    { "deviation": "Rule 3-9-1", "reason": "Token-for-token compliance means that even a
typedef of the same type breaks compliance. CGI Studio requires such typedefs in Meta
Information and for SharedPointer." },
    //4-x-x
    { "deviation": "Rule 4-5-3", "reason": "Char used as 8 bit integer also for
operations" },
    { "deviation": "Rule 4-10-2", "reason": "Deliberately use 0. See Scott Myers Effective
C++, Item 25" },
    //5-x-x
    { "deviation": "Rule 5-0-15", "reason": "Pointer arithmetic is used by CGI Studio
where address computation is required e.g. as part of device abstraction." },
    { "deviation": "Rule 5-0-21", "reason": "Bitwise operator applied to signed underlying
type" },
    { "deviation": "Rule 5-2-5", "reason": "Attempt to cast away const/volatile from a
pointer or reference" },
    { "deviation": "Rule 5-2-7", "reason": "Pointer cast deliberately not prohibited" },
    { "deviation": "Rule 5-2-12", "reason": "Array type passed to function expecting a
pointer" },
    { "deviation": "Rule 5-14-1", "reason": "side effects on right hand side of logical
operator" },
    //6-x-x
    { "deviation": "Rule 6-2-1", "reason": "assignment operator used in sub-expression" },
    { "deviation": "Rule 6-4-3", "reason": "departure from MISRA switch syntax" },
    { "deviation": "Rule 6-6-4", "reason": "This might lead to badly structured code." },

```

```

    { "deviation": "Rule 6-6-5", "reason": "This might lead to badly structured code." },
    //7-x-x
    { "deviation": "Rule 7-1-1", "reason": "Deliberately disabled: Cost - Value ratio is
negative" },
    { "deviation": "Rule 7-3-1", "reason": "Use global declarations" },
    { "deviation": "Rule 7-3-2", "reason": "Non-global function, main, declared" },
    { "deviation": "Rule 7-3-3", "reason": "Unnamed namespace in header" },
    { "deviation": "Rule 7-3-4", "reason": "Using-directive used" },
    { "deviation": "Rule 7-3-6", "reason": "Using-directive/declaration in header file" },
    //8-x-x
    { "deviation": "Rule 8-4-1", "reason": "Function has variable number of arguments
using the ellipsis notation" },
    //9-x-x
    { "deviation": "Rule 9-3-2", "reason": "Non-const members allow to expose members." },
    { "deviation": "Rule 9-5-1", "reason": "Unions are used very carefully and allow
saving space in memory." },
    //10-x-x
    { "deviation": "Rule 10-3-1", "reason": "Suppressed because the choice to use C++
includes also the decision to use polymorphism and overriding virtual methods." },
    //14-x-x
    { "deviation": "Rule 14-7-1", "reason": "Suppressed based on MISRA C++ 2008 Chapter
3.5, Library issues." },
    { "deviation": "Rule 14-7-2", "reason": "Suppressed based on MISRA C++ 2008 Chapter
3.5, Library issues." },
    //15-x-x
    { "deviation": "Rule 15-1-1", "reason": "CGI Studio does not use exception handling."
},
    { "deviation": "Rule 15-3-3", "reason": "CGI Studio does not use exception handling."
},
    { "deviation": "Rule 15-3-6", "reason": "CGI Studio does not use exception handling."
},
    { "deviation": "Rule 15-5-1", "reason": "CGI Studio does not use exception handling."
},
    { "deviation": "Rule 15-5-2", "reason": "CGI Studio does not use exception handling."
},
    { "deviation": "Rule 15-5-3", "reason": "CGI Studio does not use exception handling."
},
    //16-x-x
    { "deviation": "Rule 16-0-4", "reason": "Temporary disabled, justification needed." },
    { "deviation": "Rule 16-0-8", "reason": "Temporary disabled, justification needed." },
    { "deviation": "Rule 16-2-1", "reason": "CGI Studio uses macros." },

```

```
{ "deviation": "Rule 16-2-2", "reason": "Temporary disabled, justification needed." },
//18-x-x
{ "deviation": "Rule 18-4-1", "reason": "CGI Studio requires dynamic memory
allocation." },

// Document Rules
//document rules are not checked according to the current configuration

// Suppressing Advisory Rules
{ "deviation": "Rule 2-5-1", "reason": "Advisory rules are suppressed." },
{ "deviation": "Rule 2-7-3", "reason": "Advisory rules are suppressed." },
{ "deviation": "Rule 2-10-5", "reason": "Advisory rules are suppressed." },
{ "deviation": "Rule 3-9-2", "reason": "Advisory rules are suppressed." },
{ "deviation": "Rule 5-0-2", "reason": "Advisory rules are suppressed." },
{ "deviation": "Rule 5-2-3", "reason": "Advisory rules are suppressed." },
{ "deviation": "Rule 5-2-9", "reason": "Advisory rules are suppressed." },
{ "deviation": "Rule 5-2-10", "reason": "Advisory rules are suppressed." },
{ "deviation": "Rule 5-19-1", "reason": "Advisory rules are suppressed." },
{ "deviation": "Rule 7-5-4", "reason": "Advisory rules are suppressed." },
{ "deviation": "Rule 10-1-1", "reason": "Advisory rules are suppressed." },
{ "deviation": "Rule 10-2-1", "reason": "Advisory rules are suppressed." },
{ "deviation": "Rule 12-1-2", "reason": "Advisory rules are suppressed." },
{ "deviation": "Rule 14-8-2", "reason": "Advisory rules are suppressed." },
{ "deviation": "Rule 15-0-2", "reason": "Advisory rules are suppressed." },
{ "deviation": "Rule 15-3-2", "reason": "Advisory rules are suppressed." },
{ "deviation": "Rule 16-2-5", "reason": "Advisory rules are suppressed." },
{ "deviation": "Rule 16-3-2", "reason": "Advisory rules are suppressed." },
]
}
```

Revision #9

Created 2023-02-20 06:49:25 UTC by Tsuyoshi.Kato

Updated 2023-06-14 22:58:50 UTC by Tsuyoshi.Kato